

# Protecting Your Health: Understanding and Preventing STDs

*A Lesson Plan from Rights, Respect, Responsibility: A K-12 Curriculum*

*Fostering responsibility by respecting young people's rights to honest sexuality education.*

## **NSES ALIGNMENT:**

By the end of 8th grade, students will be able to:

SH.8.CC.1 – Define STDs, including HIV, and how they are and are not transmitted.

SH.8.CC.2 – Compare and contrast behaviors, including abstinence, to determine the potential risk of STD/HIV transmission from each.

SH.8.CC.3/PR.8.CC.3 – Describe the signs, symptoms and potential impacts of STDs, including HIV.

**TARGET GRADE:** Grade 7  
Lesson 5

**TIME:** 50 Minutes

## **MATERIALS NEEDED:**

- One copy of “STD Clues Sheets” 1-9
- One copy of “STD Clues Answer Key” 1-9
- “STD Clues Worksheet” – enough copies for triads in class to each have one
- One copy each of the STD High Risk, Low Risk and No Risk signs
- List of Behaviors for STD Risk – enough copies for triads in class to each have one
- Homework: “HIV and AIDS” – one per student
- Masking tape
- Pencils in case students do not have their own

## **ADVANCE PREPARATION FOR LESSON:**

- Post the STD Clues Sheets around the room with enough space between them so that students will not get crowded around each.
- Tear off 13 one-inch pieces of masking tape and have them taped to a table or desk at the front of the room.

## **LEARNING OBJECTIVES:**

By the end of this lesson, students will be able to:

1. Define STDs and HIV. [Knowledge]
2. Name at least three common STDs and how they are transmitted. [Knowledge]
3. Compare sexual behaviors that put people at high, low or no risk for STDs. [Knowledge]

## **A NOTE ABOUT LANGUAGE:**

Language is really important and we've intentionally been very careful about our language throughout this curriculum. You may notice language throughout the curriculum that seems less familiar - using the pronoun “they” instead of “her” or “him”, using gender neutral names in scenarios and role-plays and referring to “someone with a vulva” vs. a girl or woman. This is intended to make the curriculum inclusive of all genders and gender identities. You will need to determine for yourself how much and how often you can do this in your own school and classroom, and should make adjustments accordingly.

## **PROCEDURE:**

**STEP 1:** Explain that today's lesson is about sexually transmitted diseases (STDs) and HIV.

Say the following, writing key terms on the board as needed: “A sexually transmitted disease means a disease a person can get from another person when they do something sexual with that person. You can only get an STD from someone who has one. You may hear ‘STD’ or ‘STI’ used out in the world; the ‘D’ refers to ‘disease,’ and the ‘I’ to infection. There is a minor difference between the two, but for the purposes of this lesson, we will be referring to STDs.

We're also going to be talking about HIV, which stands for the Human Immunodeficiency Virus. The ‘Human’ part means only people can get

## Protecting Your Health: Understanding and Preventing STDs

*A Lesson Plan from Rights, Respect,  
Responsibility: A K-12 Curriculum*

it and transmit to other people. While there are animal versions of HIV, a person cannot get HIV from a cat or a dog or any other animal, or vice versa. ‘Immunodeficiency’ is actually two words stuck together – you might remember from science class that our immune system is the system in our body that fights off infection. A deficiency is when something isn’t working the way it should. So when a person has HIV, they have a deficient immune system – meaning, infections their body could usually fight off on its own are harder or even impossible to fight off. So HIV is a virus that weakens the immune system that, if it is not successfully treated, can become AIDS.”

Tell the students that there are many STDs, but that they tend to have at least a few things in common with other STDs. So you are going to be doing an activity where they are going to be assigned an STD and try to discover which one they have. (3 minutes)

**STEP 2:** Divide the class into nine groups. Say, “Each small group will receive a sheet of paper with a list of clues on it. Around the room are sheets with characteristics of different STDs. Your job is to go around the room, and based on what’s listed on those sheets of paper, determine which STD is on your paper. At the bottom of your sheet is a word bank of different STDs. When you find something that doesn’t apply to you, just cross it off. By the end of the activity, you should have named the STD.” Tell them that they will have 10 minutes in which to work on these. Distribute the sheets, and ask them to get started (12 minutes).

**STEP 3:** Once 10 minutes have elapsed, have the groups return to their seats, staying in their groups. Go through the responses using the answer key. (8 minutes)

**STEP 4:** Say, “One of the things all these STDs have in common is that they can be transmitted through sexual behaviors. But some behaviors put people at higher risk than others. We’re going to do an activity now where we will look at which behaviors carry a lot of risk, which put you at some risk, and which have no risk for transmitting STDs.” Since students are already in their groups from the first activity, ask them to remain in their groups. Tell them that you are going to hand out a list of sexual behaviors people can do. Ask them to read each of them and decide together whether they think each behavior puts a person at high risk for getting an STD, some (but lower) risk, or no risk. Ask them to make three piles on the desk or table in front of them. Tell them that they will have 10 minutes to complete the activity. (12 minutes)

**Note to the Teacher:** *As students are working, post the “High Risk, Low Risk, No Risk” signs to the board with at least 2 – 3 feet between each for easy reading.*

**STEP 5:** Once ten minutes have passed, ask one of the groups to bring their answers up and tape them to the board beneath each of the signs you have posted using the masking tape you pre-tore before class started. Make corrections as necessary and go through the responses using the Answer Key as a guide.

Once you have been through all the answers, say, “A key point about STDs and your risk for them is that one person has to have an STD in order to give it to someone else. None of these behaviors, including the high risk behaviors, can spontaneously create an STD. They are caused by bacteria, they are caused by viruses, they are caused by parasites or bugs.

## Protecting Your Health: Understanding and Preventing STDs

*A Lesson Plan from Rights, Respect,  
Responsibility: A K-12 Curriculum*

This means that just as you can be exposed to them by someone who has one, you can take specific steps to lower or eliminate your chances of getting one.”

Answer any questions they may have about the activity. Describe the homework, which is a worksheet specifically on HIV and AIDS, which needs to be completed using the internet and handed in at the next class. (15 minutes)

### **RECOMMENDED ASSESSMENT OF LEARNING OBJECTIVES AT CONCLUSION OF LESSON:**

Student participation in the two small group activities will enable the teacher to measure whether the learning objectives have been achieved. The small groups increase the chance of participation by all members, and going over the answers in front of the whole class will reinforce the content.

### **HOMEWORK:**

Ask students to watch the Amaze video “What is HIV?” and then complete the HIV and AIDS worksheet. The questions are contained in the video. An answer key is provided for the teacher.

(Note: Activities in this lesson inspired by Gareth Cheesman <http://www.sharemylesson.com/teaching-resource/sti-clue-activity-6111340/> and Positive Images: A New Approach to Contraceptive Education by Peggy Brick and Carolyn Cooperman, Planned Parenthood of Greater Northern New Jersey, Inc.)

STD #1: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be cured easily.
3. Condoms offer very good protection against you.
4. You are the most commonly reported STD in the United States.
5. You are not detected by a blood test.
6. You can be transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #2: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be treated, but not cured.
3. Condoms offer only some protection against you.
4. You are one of the most common STDs among adolescents in the US.
5. You can be detected by a blood test.
6. You can be transmitted through oral sex.
7. You can be transmitted via skin-to-skin contact.
8. You cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #3: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be treated, but not cured.
3. Condoms offer only some protection against you.
4. You are one of the most common STDs among adolescents in the US.
5. You are not detected by a blood test.
6. You can be transmitted through oral sex.
7. You can be transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #4: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be cured easily.
3. Condoms offer very good protection against you.
4. You are one of the most common STDs among adolescents in the US.
5. You are not detected by a blood test.
6. You can be transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #5: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be treated, but not cured.
3. Condoms offer very good protection against you.
4. You are not one of the most common STDs among adolescents in the US.
5. You are detected by a blood test.
6. You are not transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES



STD #6: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be treated, but not cured.
3. Condoms offer very good protection against you.
4. You are not one of the most common STDs among adolescents in the US.
5. You can be detected by a blood test.
6. You can be transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #7: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be easily cured.
3. Condoms do not offer any protection against you.
4. You are not one of the most common STDs among adolescents in the US.
5. You are not detected by a blood test.
6. You are not transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #8: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be easily cured.
3. Condoms offer very good protection against you.
4. You are not one of the most common STDs among adolescents in the US.
5. You are detected by a blood test.
6. You are transmitted through oral sex.
7. You are transmitted via skin-to-skin contact.
8. You can cause an outbreak of sores within two weeks of having it.
9. You are not caused by a parasite or “bug.”
10. You do not have a vaccine.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

STD #9: \_\_\_\_\_

1. You are spread through sexual contact, including vaginal sex, anal sex, and oral sex.
2. You can be easily cured.
3. Condoms offer very good protection against you.
4. You are one of the most common STDs among adolescents in the US.
5. You are not detected by a blood test.
6. You are not transmitted through oral sex.
7. You are not transmitted via skin-to-skin contact.
8. You do not cause an outbreak of sores within two weeks of having it.
9. You are caused by a parasite or a “bug”.

CHLAMYDIA

TRICHOMONIASIS

HUMAN PAPILLOMAVIRUS (HPV)

HEPATITIS B

PUBIC LICE

HIV/AIDS

SCABIES

GONORRHEA

SYPHILIS

GENITAL HERPES

## ANSWER KEY

STD #1. Chlamydia

STD #2. Genital Herpes

STD #3. Human Papilloma Virus (HPV)

STD #4. Gonorrhea

STD #5. Hepatitis B

STD #6. HIV/AIDS

STD #7. Scabies and Pubic Lice

STD #8. Syphilis

STD #9. Trichomoniasis

Are you **spread through sexual contact**, including vaginal sex, anal sex, and oral sex?

You could be....

CHLAMYDIA  
GENITAL HERPES  
HUMAN PAPILLOMAVIRUS (HPV)  
GONORRHEA  
HEPATITIS B  
HIV/AIDS  
SCABIES  
PUBIC LICE  
SYPHILIS  
TRICHOMONIASIS

Can you be **CURED** easily?

You could be...

**CHLAMYDIA**  
**GONORRHEA**  
**SYPHILIS**  
**SCABIES**  
**PUBIC LICE**  
**TRICHOMONIASIS**

Can you be **TREATED**, but **NOT** cured?

You could be...

GENITAL HERPES  
HUMAN PAPILLOMAVIRUS (HPV)  
HEPATITIS B  
HIV/AIDS



# **Does a condom offer really good protection against you?**

You could be...

CHLAMYDIA  
GONORRHEA  
HEPATITIS B  
SYPHILIS  
HERPES  
HIV  
TRICHOMONIASIS

Are you **one of the MOST COMMON STDs** among adolescents in the US? If so, you could be...

CHLAMYDIA  
HUMAN PAPILLOMAVIRUS (HPV)  
GONORRHEA  
GENITAL HERPES  
TRICHOMONIASIS

Can you be transmitted through **ORAL SEX?**

You could be...

CHLAMYDIA  
GONORRHEA  
SYPHILIS  
HPV  
GENITAL HERPES  
HIV

Can you be transmitted via  
**SKIN-TO-SKIN CONTACT?**

You could be....

GENITAL HERPES

HPV

SYPHILIS

Do you cause an outbreak of **SORES** within  
two weeks of having it?

You could be...

**GENITAL HERPES**

**HPV**

**SYPHILIS**

**Are you CAUSED BY A PARASITE or “bug?”**

You could be...

**TRICHOMONIASIS**

**SCABIES**

**PUBIC LICE**

**Do you have a *VACCINE*?**

You could be...

HPV  
HEPATITIS B

## HOW HIGH IS THE RISK FOR STDS? ANSWER KEY

HIGH RISK FOR STDS	LOW RISK FOR STDS	NO RISK FOR STDS
Unprotected vaginal sex	Deep (“tongue”) kissing	Bathing together
Unprotected anal sex	Vaginal sex using a male or female condom correctly	Kissing on the lips
Unprotected oral sex	Anal sex using a condom correctly	Mutual masturbation
	Oral sex using a latex barrier or cut-open condom correctly	Solo masturbation
		Holding hands
		Abstaining from sexual activity

### HIGH RISK FOR STDS

Unprotected oral, vaginal and anal intercourse are high risk behaviors for transmitting STDs. “Unprotected” means not using a latex barrier, such as a condom.

### LOW RISK FOR STDS

Just as the key to the high risk behaviors was “unprotected,” the key word for low risk behaviors is “correctly.” These behaviors are only low-risk if condoms or other barriers are used consistently and correctly – which means every time two people are sexual together, from the beginning of the sex act to the end. As soon as body parts come into contact with each other, and/or mouths come into contact with body parts, STD transmission is possible.

The level of risk also depends on the STD. For example, deep or “tongue” kissing is high risk for herpes, but not for HIV.

In addition, although using male and female condoms and latex barriers significantly reduce the risk of STD transmission, they don’t protect partners completely. While semen and vaginal fluids are blocked by the condom, they do not cover bodies completely. When bodies rub against each other, they can also cause microscopic openings in the skin, which are small enough for some viruses to pass through in order to transmit an STD.

### NO RISK FOR STDS

Aside from continuous abstinence – meaning, not having oral, anal or vaginal sex with another person for a period of time – very few shared sexual behaviors carry no risk for STDs. The activities here are more related to intimacy – with the exception of masturbation and mutual masturbation. These behaviors are important because they can help people learn about their bodies and build connection between people without any risk of STDs (or pregnancy).



## HOMEWORK: HIV AND AIDS

Name: \_\_\_\_\_ Date: \_\_\_\_\_

Instructions: There are some unique aspects of HIV and AIDS that are different from other STDs. Complete the questions below by watching the Amaze video, "What is HIV?" available here: [https://www.youtube.com/watch?v=YxfOu\\_aTzH8](https://www.youtube.com/watch?v=YxfOu_aTzH8).

1. What does HIV cause?
2. HIV weakens which system in the human body?
3. That means it's harder for people with HIV to fight off certain \_\_\_\_\_.
4. Which three body fluids do NOT transmit HIV?
5. Can you get HIV from sharing a glass with someone?
6. You can't tell whether someone has HIV just by looking at them. How can people know for sure whether they have HIV?

**LOWER RISK  
for STDs**

( CUT HERE )

**HIGH RISK  
for STDs**

**NO RISK  
for STDs**

( CUT HERE )

**Unprotected  
vaginal sex**

**Deep  
Kissing  
("tongue")**

( CUT HERE )

**Bathing  
together**

**Unprotected  
anal sex**

( CUT HERE )

**Vaginal sex  
using a male or  
female condom**

**Kissing on  
the lips**

( CUT HERE )

**Unprotected  
oral sex**

**masturbation**

**Mutual**

( CUT HERE )

**Anal sex using  
a condom  
correctly**

# **Solo masturbation**

( CUT HERE )

**Oral sex using  
a latex barrier  
or condom  
correctly**



**holding hands**

( CUT HERE )

**Abstaining  
from sexual  
activity**